

SOFT EDGE 12

Design by Iskos-Berlin



Made possible by exploring innovative developments in moulded plywood techniques, Iskos-Berlin's Soft Edge chair blends strong curves with extreme lightness to create a three-dimensionality that is not normally possible with 2D plywood. The ultra-thin, soft-formed back and seat are free of sharp edges, embracing the body and providing human-centric comfort for constant movement. The chair features solid wood legs with light stackable qualities, making it suitable for a wide range of public and private environments – from classrooms and cafés to the home.

PRODUCT DETAILS

- / Part of a family of dining chairs, bar stools and stools with steel base or solid oak legs or polypropylene seat and back with steel base.
- / 3-dimensional form based on the latest developments in moulded plywood technique using ordinary plywood.
- / Variability of seat and base colours and finishes.
- / Suitable for a wide variety of private and public environments.
- / Qualified for contract use.
- / Available with seat upholstery in selected fabrics and leather.
- / Stackable up to 6 pcs. without upholstery.

HAY

MATERIAL

SEAT / BACK / Moulded plywood seat and back.
Top veneer in oak.

BASE / Solid oak legs.

COLOUR & FINISH

Please note that the colour codes are indicative.

SEAT, BACK AND BASE / Available in 9 different finishes.

- / Black stained oak (RAL 9005)
- / Dusty green stained oak (NCS S 6005 G20Y)
- / Fall red stained oak (NCS S 6030 R)
- / Hunter stained oak (NCS S 8010 B90G)
- / Soft black stained oak (RAL 9004)
- / Soft grey stained oak (NCS S 3500 N)
- / Matt lacquered oak
- / Clear lacquered oak
- / Smoked lacquered oak seat & back / lacquered oak base

CONSTRUCTION

SEAT AND BACK / 2D moulded plywood seat and back
mounted to the frame with rivets. Inner plywood in beech, top
veneer in oak.


BASE / in Ø16 mm steel tube. Stacking pad in polypropylene
mounted underneath the seat.

SEAT, BACK AND BASE FINISH



DIMENSIONS

- / WIDTH 51,5 cm / 20.27"
- / DEPTH 52,5 cm / 20.66"
- / HEIGHT 79 cm / 31.10"
- / SEAT HEIGHT 47,5 cm / 18.70"
- / SEAT DEPTH 46 cm / 18.11"



GLIDERS

PLASTIC GLIDER (STANDARD ON ALL) / Suitable for most floorings which are not too sensitive.

FELT GLIDER / For wooden floors. Not for sensitive wooden floors like pine wood or painted floors. Here we recommend felt glider soft.

FELT GLIDER SOFT / For sensitive floors like soft wooden floors and painted floors etc.

OPTIONS

- / SEAT UPHOLSTERY 10 mm foam.

TESTS

EN 16139:2013 L2 / for strength, durability and safety according to the requirements for non-domestic seating and loading for extreme use.

ANSI/BIFMA X5.4-2012 / American National Standard For Office Furnishings - Lounge and Public Seating – Tests.

DOWNLOADS

2D files, 3D files and packshots are available in our imagebank at hay.dk.

Care- and maintenance instructions and test certificates are available at hay.dk.

HAY

SOFT EDGE 12 UPHOLSTERY

Design by Iskos-Berlin



FOAM

10 mm foam

FABRICS

Available in a large selection of standard fabrics and leathers. Other fabrics available upon request.

STANDARD FABRICS BY KVADRAT

/ Steelcut	/ Pine
/ Steelcut trio	/ Lila
/ Hallingdal	/ Raas
/ Remix	/ San
/ Divina	/ Twill Weave
/ Divina melange	/ Harald
/ Coda	/ Sunniva
/ Divina MD	/ Compound
/ Canvas	/ Surface By HAY
/ Forest Nap	/ Rime
/ Fiord	/ Tonus Meadow
/ Tonus	/ Hero
/ Melange Nap	

ROMO FABRICS*

/ Ruskin (4 colours only)	/ Olavi (1 colour only)
/ Roden (4 colours only)	/ Linara (8 colours only)

LOLA / VELOUR FABRIC*

/ Lola (8 colours only)

STANDARD LEATHERS BY CAMO LEATHERS

/ California	/ Silk
/ Sierra	

*Only available in colours selected by HAY.

OPTIONS

/ CMHR foam (fire retardant).

NOTE

Stacking upholstered chairs may leave marks in the foam and fabric.

HAY

HAY Havnen 1 8700 Horsens Denmark +45 4282 0282 / www.hay.dk